

PART NUMBER	UL	ENCL	IMPEDANCE	RATED VOLTS	HORSE POWER	NEC AMPS	MAX CONTINUOUS AMPS	HEIGHT	WIDTH	DEPTH	TERM TYPE	TERM TORQUE	TORQUE UM	TEMP RISE	WATTS LOSS	WEIGHT
KDRMA6L1DR	UL Listed	Open	HZ	208	0.5	2.4	3	4	4.18	3.75	TB	9	LB-IN	115	14	4.00
KDRMA8L1DR	UL Listed	Open	LZ	208	0.5	2.4	3	4	4.18	3.75	TB	9	LB-IN	115	7	4.00
KDRMA8L1DR	UL Listed	Open	HZ	208	0.75	3.5	5	4	4.18	3.75	TB	9	LB-IN	115	16.8	4.00
KDRAA3L2DR	UL Listed	Open	LZ	208	0.75	3.5	4.2	4	4.18	3.75	TB	9	LB-IN	115	12	4.00
KDRAA6L2DR	UL Listed	Open	HZ	208	1	4.6	5	4	4.18	3.75	TB	9	LB-IN	115	23.6	4.00
KDRAA4L2DR	UL Listed	Open	LZ	208	1	4.6	5.5	4	4.18	3.75	TB	9	LB-IN	115	11	4.00
KDRAA4L2DR	UL Listed	Open	LZ	208	1.5	6.6	8	4	4.18	3.75	TB	9	LB-IN	115	18	4.00
KDRAA3L2DR	UL Listed	Open	HZ	208	1.5	6.6	7.5	4	4.18	3.75	TB	9	LB-IN	115	30.6	4.00
KDRA26HDR	UL Listed	Open	HZ	208	2	7.5	10	4	4.18	3.75	TB	10	LB-IN	115	30.5	4.00
KDRA27LDR	UL Listed	Open	LZ	208	2	7.5	10	4	4.18	3.75	TB	10	LB-IN	115	21	4.00
KDRA28HDR	UL Listed	Open	HZ	208	3	10.6	11	4	4.18	3.75	TB	10	LB-IN	115	43.1	4.00
KDRA28LDR	UL Listed	Open	LZ	208	3	10.6	12	4	4.18	3.75	TB	10	LB-IN	115	29	4.00
KDRB22LDR	UL Listed	Open	LZ	208	5	16.7	19	5.38	6	4	TB	20	LB-IN	115	38	8.00
KDRB25HDR	UL Listed	Open	HZ	208	5	16.7	17	5	6	4	TB	20	LB-IN	115	53.1	8.00
KDRB23LDR	UL Listed	Open	LZ	208	7.5	24.2	25	5.38	6	4	TB	20	LB-IN	115	48	8.00
KDRB26HDR	UL Listed	Open	HZ	208	7.5	24.2	26	5	6	4	TB	20	LB-IN	115	66.5	8.00