

PART NUMBER	ENCL	IMPEDANCE	RATED VOLTS	HORSE POWER	NEC AMPS	MAX CONTINUOUS AMPS	HEIGHT	WIDTH	DEPTH	TERM TYPE	TERM TORQUE	TORQUE UM	TEMP RISE	WATTS LOSS
KDRMA6L1	Open	LZ	208	0.25	1.4	3.4	3.63	4.45	1.78	TB	9	LB-IN	135	26.4
KDRMA8L1	Open	LZ	208	0.5	2.4	5	3.63	4.45	1.78	TB	9	LB-IN	135	30.6
KDRAA3L2	Open	LZ	208	0.75	3.5	8.2	4.44	4.25	2.64	TB	9	LB-IN	135	44.5
KDRAA4L2	Open	LZ	208	1	4.6	11.6	4.44	4.25	2.64	TB	9	LB-IN	135	62.9
KDRAA4L2	Open	LZ	208	1.5	6.6	11.6	4.44	4.25	3.53	TB	9	LB-IN	135	62.9
KDRA27L	Open	LZ	208	2	7.5	10	4	4.18	3.75	TB	10	LB-IN	135	21
KDRA28L	Open	LZ	208	3	10.6	12	4	4.18	3.75	TB	10	LB-IN	135	29
KDRB22L	Open	LZ	208	5	16.7	19	5	6	4	TB	20	LB-IN	135	38
KDRB23L	Open	LZ	208	7.5	24.2	25	5	6	4	TB	20	LB-IN	135	48
KDRD25L	Open	LZ	208	10	30.8	34	5.75	7.2	4.25	TB	20	LB-IN	135	64
KDRD24L	Open	LZ	208	15	46.2	48	5.75	7.2	4.25	TB	20	LB-IN	135	85
KDRD26L	Open	LZ	208	20	59.4	62	5.75	7.2	4.25	TB	20	LB-IN	135	94
KDRC22L	Open	LZ	208	25	74.8	80	5.75	7.2	5	PT	35	LB-IN	115	114
KDRF24L	Open	LZ	208	30	88	100	7	9	6	CB	120	LB-IN	115	135
KDRF25L	Open	LZ	208	40	114	118	7	9	6	CB	120	LB-IN	115	149
KDRF26L	Open	LZ	208	50	143	152	7	9	6	CB	275	LB-IN	115	154
KDRH22L	Open	LZ	208	60	169	180	8.31	10.5	6	CB	275	LB-IN	115	209
KDRI23L	Open	LZ	208	75	211	211	8.5	11	7	CB	500	LB-IN	155	294
KDRI24L	Open	LZ	208	100	273	280	8.5	11	7	CB	500	LB-IN	155	276
KDRG22L	Open	LZ	208	125	343	377	10.15	11.5	8.5	CB	275	LB-IN	155	370
KDRJ23L	Open	LZ	208	150	396	420	10	11.31	9.5	CB	500	LB-IN	155	401
KDRJ24L	Open	LZ	208	200	528	534	10	11.31	9.5	CB	500	LB-IN	155	442

*Ratings and dimensions are equivalent to Part Numbers containing "UL"

PART NUMBER	WEIGHT
KDRMA6L1	1.4
KDRMA8L1	3.70
KDRAA3L2	3.00
KDRAA4L2	3.20
KDRAA4L2	3.20
KDRA27L	4.00
KDRA28L	4.00
KDRB22L	8.00
KDRB23L	8.00
KDRD25L	12.00
KDRD24L	12.00
KDRD26L	12.00
KDRC22L	15.00
KDRF24L	30.00
KDRF25L	30.00
KDRF26L	30.00
KDRH22L	45.00
KDRI23L	50.00
KDRI24L	50.00
KDRG22L	65.00
KDRJ23L	70.00
KDRJ24L	70.00

*Ratings and dimens