

| PART NUMBER | ENCL | IMPEDANCE | HORSE POWER | NEC AMPS | MAX CONTINUOUS AMPS | HEIGHT | WIDTH | DEPTH | TERM TYPE | TERM TORQUE | TORQUE UM | TEMP RISE | WATTS LOSS | WEIGHT |
|-------------|------|-----------|-------------|----------|---------------------|--------|-------|-------|-----------|-------------|-----------|-----------|------------|--------|
| KDRMA41H1 | Open | HZ | 0.25 | 0.5 | 0.8 | 3.63 | 4.45 | 1.78 | TB | 9 | LB-IN | 135 | 5.9 | 1.30 |
| KDRMA42H1 | Open | HZ | 0.33 | 0.7 | 0.75 | 3.63 | 4.45 | 1.78 | TB | 9 | LB-IN | 135 | 9.1 | 1.20 |
| KDRMA43H1 | Open | HZ | 0.5 | 0.9 | 1.1 | 3.63 | 4.45 | 1.78 | TB | 9 | LB-IN | 135 | 12.9 | 1.50 |
| KDRMA44H1 | Open | HZ | 0.75 | 1.3 | 1.6 | 3.63 | 4.45 | 1.78 | TB | 9 | LB-IN | 135 | 14.6 | 1.60 |
| KDRMA45H1 | Open | HZ | 1 | 1.7 | 2.1 | 3.63 | 4.45 | 1.78 | TB | 9 | LB-IN | 135 | 27 | 1.50 |
| KDRAA46H2 | Open | HZ | 1.5 | 2.4 | 3.2 | 4.44 | 4.25 | 2.64 | TB | 9 | LB-IN | 135 | 26 | 2.90 |
| KDRAA43H2 | Open | HZ | 2 | 2.7 | 3.4 | 4.44 | 4.25 | 2.64 | TB | 9 | LB-IN | 135 | 23 | 2.70 |
| KDRAA44H2 | Open | HZ | 3 | 3.9 | 4.5 | 4.44 | 4.25 | 2.64 | TB | 9 | LB-IN | 135 | 34 | 2.90 |
| KDRAA57H2 | Open | HZ | 4 | 4.9 | 6 | 4.44 | 4.25 | 2.64 | TB | 9 | LB-IN | 135 | 47.9 | 3.50 |
| KDRAA58H2 | Open | HZ | 5 | 6.1 | 6.8 | 4.44 | 4.25 | 2.64 | TB | 9 | LB-IN | 135 | 43.7 | 3.40 |
| KDRB42H | Open | HZ | 7.5 | 9 | 10 | 5 | 6 | 4 | TB | 20 | LB-IN | 135 | 61 | 8.00 |
| KDRB43H | Open | HZ | 10 | 11 | 11 | 5 | 6 | 4 | TB | 20 | LB-IN | 135 | 70 | 8.00 |
| KDRB44H | Open | HZ | 15 | 17 | 18.5 | 5 | 6 | 4 | TB | 20 | LB-IN | 135 | 73 | 8.00 |
| KDRD41H | Open | HZ | 20 | 22 | 23 | 5.75 | 7.2 | 4.25 | TB | 20 | LB-IN | 135 | 105 | 12.00 |
| KDRC43H | Open | HZ | 25 | 27 | 30 | 5.75 | 7.2 | 5 | TB | 20 | LB-IN | 135 | 107 | 15.00 |
| KDRE42H | Open | HZ | 30 | 32 | 32 | 5.75 | 7.2 | 5 | TB | 20 | LB-IN | 135 | 140 | 16.00 |
| KDRF44H | Open | HZ | 40 | 41 | 44 | 7 | 9 | 6 | TB | 35 | LB-IN | 135 | 172 | 30.00 |
| KDRF45H | Open | HZ | 50 | 52 | 58 | 7 | 9 | 6 | TB | 35 | LB-IN | 135 | 165 | 30.00 |
| KDRH43H | Open | HZ | 60 | 62 | 62 | 9 | 11 | 6 | TB | 35 | LB-IN | 135 | 205 | 45.00 |
| KDRH42H | Open | HZ | 75 | 77 | 82 | 9 | 11 | 6 | TB | 35 | LB-IN | 115 | 251 | 45.00 |
| KDRI41H | Open | HZ | 100 | 99 | 99 | 8.5 | 10.5 | 6.31 | CB | 120 | LB-IN | 155 | 268 | 50.00 |
| KDRG44H | Open | HZ | 125 | 125 | 130 | 10.15 | 10.75 | 7.31 | CB | 120 | LB-IN | 155 | 381 | 65.00 |
| KDRG45H | Open | HZ | 150 | 144 | 155 | 10.15 | 11.38 | 8.25 | CB | 275 | LB-IN | 155 | 405 | 65.00 |
| KDRJ41H | Open | HZ | 200 | 192 | 192 | 10 | 11 | 8.65 | CB | 275 | LB-IN | 155 | 466 | 70.00 |
| KDRL46H | Open | HZ | 250 | 242 | 260 | 12.75 | 14.75 | 11 | CB | 500 | LB-IN | 155 | 478 | 110.00 |
| KDRL47H | Open | HZ | 300 | 289 | 310 | 12.75 | 14.75 | 11 | CB | 275 | LB-IN | 155 | 490 | 110.00 |
| KDRL48H | Open | HZ | 350 | 336 | 344 | 12.75 | 15 | 11 | CB | 275 | LB-IN | 155 | 539 | 110.00 |
| KDRL49H | Open | HZ | 400 | 382 | 382 | 12.75 | 15 | 11 | CB | 275 | LB-IN | 155 | 603 | 110.00 |
| KDRS47H | Open | HZ | 450 | 412 | 440 | 12.75 | 15 | 12.25 | CB | 500 | LB-IN | 155 | 521 | 165.00 |
| KDRS46H | Open | HZ | 500 | 472 | 500 | 12.75 | 15 | 12.25 | CB | 500 | LB-IN | 155 | 660 | 165.00 |
| KDRS49H | Open | HZ | 600 | 576 | 576 | 12.75 | 15 | 12.25 | CB | 375 | LB-IN | 155 | 1194 | 175.00 |
| KDRX45H | Open | HZ | 700 | 672 | 760 | 18.65 | 18 | 11.5 | CB | 375 | LB-IN | 155 | 1393 | 200.00 |
| KDRX44H | Open | HZ | 800 | 768 | 850 | 18.31 | 18 | 13 | CB | 375 | LB-IN | 155 | 1592 | 280.00 |
| KDRX41H | Open | HZ | 900 | 864 | 900 | 18.5 | 18 | 14.5 | CB | 375 | LB-IN | 155 | 1791 | 290.00 |
| KDRX42H | Open | HZ | 1000 | 960 | 1000 | 18.5 | 18 | 14.5 | CB | 275 | LB-IN | 155 | 1990 | 375.00 |
| KDRX43H | Open | HZ | 1100 | 1056 | 1064 | 18.5 | 18 | 14.5 | CB | 375 | LB-IN | 155 | 2189 | 450.00 |
| KDRY41H | Open | HZ | 1250 | 1200 | 1200 | 19.5 | 21 | 19.25 | CB | 375 | LB-IN | 155 | 2488 | 475.00 |
| KDRY42H | Open | HZ | 1500 | 1440 | 1500 | 19.75 | 21 | 15.5 | CB | 375 | LB-IN | 155 | 2985 | 575.00 |

*Ratings and dimensions are equivalent to Part Numbers containing "UL"