

Drawings:
 General Schematic: 28359
 Customer Connection #25027-3
 Interface/Display Module #28283-1
 Current Transformer #26461

Notes:
 Weight 720 lbs (326.6 Kg)
 Dimensions are in Inches
 Finish: ANSI-61 Gray
 Total Heat Loss: 5600W, 19,108 Btu/hr

This unit is rated for 110A when applied with a 480V/600V autotransformer.

HOLE TOL. +/- .005


NO	REVISION	DATE	BY	TOLERANCES (EXCEPT AS NOTED)
F	5641 Clearance note modified	6/22/21	JSG	DECIMAL
E	HEAT LOSS UPDATE	10/5/20	MJS	.XX ± .02
D	added 600V rating note	12/14/18	MJS	.XXX ± .01
C	updated drawing list	5/30/18	MJS	FRACTIONAL ± 1/32
B	INCREASE DPTH AND HGHT	1/22/16	MJS	ANGULAR ± 1/2°
A	ADD T1 XFMR LOCATION	6/11/15	MJS	

TCL W132 N10611 Grant Drive
 Germantown, WI 53022


Outline, Installation, N3R
 Active Filter, 150 Amp

DRN. BY MJS DATE 8/6/14 DWG. NO. B 105740
 SCALE N/A APRVD. SHT.1 OF 2

OPTIONAL
Door Operator Detail



NO Door Operators



HOLE TOL. +/- .005

				TOLERANCES (EXCEPT AS NOTED)	TCL W132 N10611 Grant Drive Germantown, WI 53022
				DECIMAL	
				.XX ± .02	Outline, Installation, N3R Active Filter, 150 Amp
				.XXX ± .01	
				FRACTIONAL ± 1/32	DRN. BY MJS
	see revision page 1			ANGULAR ± 1/2°	DATE 8/6/14
NO	REVISION	DATE	BY		DWG. NO. B 105740
					SCALE N/A
					APRVD.
					SHT. 2 OF 2