







TCI Part Number		Option		Weight		Schematic	
106310		Contactor		500lbs		30586	
HorsePower (HP)	kVar	Harmonic	Voltage (V)	Maximum Amps (A)	Hz.	Phase	
200	30	5th	480	240	60	3	

See IOM Manual For Wire Range And Tightening Torque.




CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

Material(s) Shall be RoHS Compliant

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.

NO	REVISION	DATE	BY	SCALE
B	5653, GE to ABB CNT change	3/21/2022	DSW	
A	As Designed	9/30/2015	BWM	


TOLERANCES (EXCEPT AS NOTED)				W132N10611 (Rev 1) 11/16/20 Germantown, WI 53022 © 2022 TCI, LLC	
DECIMAL		.XX ± .25 .XXX ± .10		200HP, 480/3/60 Type I, Contactor Option	
FRACTIONAL		± 1/16		DWN BY: DSW DATE: 3/14/2017 SCALE: 1/8 DRAWN BY: CSE	
ANGULAR		± 1°		106310DG SHEET 1 OF 2	



200HP = 240 Amps
 Bend Radius
 2 x 350kcmil, Is 12 Inches.
 1 x 350kcmil, Is 12 Inches.
 2 x 1/ØAWG, Is 5 Inches.


12.00

Limited
 Cable Entrance
 Bottom Openings
 (Hatched Area)



Customer Is Responsible For Installation to Meet All National And Local Electrical Codes.

Material(s) Shall be RoHS Compliant

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED) DECIMAL .XX ± .25 .XXX ± .10		 W132N10611 (Rev. 11/16) Germantown, WI 53022 © 2022 TCI, LLC	
				FRACTIONAL ± 1/16 ANGULAR ± 1°			00HP, 480/3/60, Type 1 Bottom Entry Detail 106310DG
NO	REVISION	DATE	BY	DRN BY DSW	SCALE 1/5	DATE SERVED	FILE CS