



MSD PART NUMBER	HP	VOLTAGE	CURRENT	WEIGHT	PRESSURE TERMINAL WIRE RANGE
MSD0362C300	350	600V	362 AMPS	525LBS	(2) 350MCM-6AWG
MSD0420C300	400	600V	420 AMPS	550LBS	(2) 350MCM-6AWG
MSD0450C300	450	600V	450 AMPS	575LBS	(2) 350MCM-6AWG

NOTE: FOR TERMINAL TORQUE SEE IOM MANUAL.

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

TOLERANCES (EXCEPT AS NOTED)		TCI® W132 N10611 Grant Drive Germantown, WI 53022	
DECIMAL		MSD 362AMPS TO 450AMPS MotorShield Sinewave Filter 600/3/60, Type 1/3R.	
.XX	+/- .25		
.XXX	+/- .10		
FRACTIONAL		DRN. BY	DATE
B 3696 ADD DISCHARGE	8/1/16 DSW	BWM	4/13/16
A AS DESIGNED	4/13/16 BWM	APRVD.	
NO REVISION	DATE BY	SCALE	DWG. No.
		1/8	106431DG
			SHEET 1 OF 1