



NOTE: FOR WIRE RANGE AND TORQUE INFORMATION SEE IOM MANUAL.

MSD PART NUMBER	HP	VOLTAGE	CURRENT	WEIGHT	TERMINAL BLOCK	GROUND LUG
MSD0005B300	1	240V	5 AMPS	57LBS	WIRE RANGE: 1-22AWG	WIRE RANGE: 1/0 -14AWG
MSD0007B300	2	240V	7 AMPS	58LBS	WIRE RANGE: 1-22AWG	WIRE RANGE: 1/0 -14AWG
MSD0010B300	3	240V	10 AMPS	58LBS	WIRE RANGE: 1-22AWG	WIRE RANGE: 1/0 -14AWG

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

		TOLERANCES (EXCEPT AS NOTED)		W132 N10611 Grant Drive Germantown, WI 53022	
		DECIMAL		MSD 5 AMPS TO 10 AMPS MotorShield Sinewave Filter 240/3/60, Type 1/ 3R.	
		.XX +/- .25		DRN. BY: DSW DATE: 12/17/14 SCALE: 1/3	
		.XXX +/- .1		DWG. No. 107523DG SHEET 1 OF 1	
		FRACTIONAL			
A As Designed		12/29/17		JRN	
NO REVISION		DATE		BY	
		ANGULAR		+/- 1°	