





Reactor and Din Rail Clip and Hardware Shipped Together, Unassembled.



480 Rated Voltage, 690 Max Voltage, High Z, Impedance.

Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (LBS)	Losses (W)
KDRMA1H1DR	1/4	0.7	0.75	52500	1.33	7.9
KDRMA2H1DR	1/3	0.8	1.0	45900	1.53	9.2
KDRMA3H1DR	1/2	1.1	1.5	33400	1.33	14.3
KDRMA4H1DR	3/4	1.6	2.0	23000	1.43	19.3
KDRMA5H1DR	1	2.1	2.3	17500	1.43	26.7
KDRMA6H1DR	1 1/2	3.0	3.3	12300	1.63	30.0

208/ 240 Rated Voltage, 690 Max Voltage, High Z, Impedance.

Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (LBS)	Losses (W)
KDRMA21H1DR	1/4	1.4	2.0	13800	1.43	8
KDRMA22H1DR	1/2	2.4	3.0	7400	1.43	24.9
KDRMA23H1DR	3/4	3.5	4.0	4600	1.43	16.1
KDRMA24H1DR	1	4.6	5	4000	1.23	28.7
KDRMA25H1DR	1 1/2	6.6	7.0	2780	1.53	28.6
KDRMA26H1DR	2	7.5	9.0	2290	1.53	32.5

600 Rated Voltage, 690 Max Voltage, High Z, Impedance.

Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (LBS)	Losses (W)
KDRMA41H1DR	1/4	0.5	0.6	91900	1.33	5.9
KDRMA42H1DR	1/3	0.7	0.75	65600	1.23	9.1
KDRMA43H1DR	1/2	0.9	1.1	51000	1.53	12.9
KDRMA44H1DR	3/4	1.3	1.6	35300	1.63	14.6
KDRMA45H1DR	1	1.7	2.1	27000	1.53	27.0

480 Rated Voltage, 690 Max Voltage, Low Z, Impedance.



Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (LBS)	Losses (W)
KDRMA1L1DR	1/4	0.7	0.8	31500	1.33	5.0
KDRMA2L1DR	1/3	0.8	1.0	27600	1.33	6.2
KDRMA3L1DR	1/2	1.1	1.6	20000	1.33	9.7
KDRMA4L1DR	3/4	1.6	1.9	13800	1.33	12.1
KDRMA5L1DR	1	2.1	2.3	10500	1.23	25.2
KDRMA6L1DR	1 1/2	3.0	3.3	7400	1.43	26.4
KDRMA7L1DR	2	3.4	4.2	6500	1.43	23.5
KDRMA8L1DR	3	4.8	5.0	4600	1.43	30.6

208/ 240 Rated Voltage, 690 Max Voltage, Low Z, Impedance.

Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (LBS)	Losses (W)
KDRMA21L1DR	1/4	1.4	2.0	7400	1.43	4.6
KDRMA22L1DR	1/2	2.4	3.0	4600	1.43	6.8
KDRMA23L1DR	3/4	3.5	4.2	3150	1.23	12.9
KDRMA24L1DR	1	4.6	5.5	2400	1.23	19.2
KDRMA25L1DR	1 1/2	6.6	7.0	1600	1.23	23.3
KDRMA27L1DR	2	7.5	9.0	1370	1.33	27

600 Rated Voltage, 690 Max Voltage, Low Z, Impedance.

Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (LBS)	Losses (W)
KDRMA41L1DR	1/4	0.5	0.6	55100	1.23	3.9
KDRMA42L1DR	1/3	0.7	0.8	39400	1.23	6.1
KDRMA43L1DR	1/2	0.9	1.1	30600	1.13	8.5
KDRMA44L1DR	3/4	1.3	1.5	21200	1.33	10.9
KDRMA45L1DR	1	1.7	2.1	16200	1.33	16.2
KDRMA46L1DR	1 1/2	2.4	2.5	11500	1.43	17.2
KDRMA47L1DR	2	2.7	3.2	10200	1.53	20.5



**TTCI** | TCI, LLC | Germantown, WI | transcoil.com

**KDR Drive Reactor**  
 KDR Motor Amps—  
 3PH 50/60Hz, —V Rated, 690V Max, —A Max, RoHS  
 SOC Amb Max 138C Rise, Manual # 30895

UL LISTED  
 IEC 60076-3, 2000

CE

Date Code

- Notes: 1. UL file number: cULus Listed File E116124.  
 2. KDR Drive Reactors Comply With The Thermal and Altitude Standards Set Forth by NEMA ST20-1992.  
 3. KDR IOM Manual Part Number 30895  
 4. NEC Current For 208/240 Volts, Horsepower Based On 208 Volts.  
 5. For Din Rail Kit, See Part Number DR01.  
 6. Material(s) Shall be RoHS Compliant  
 7. Reactor and Din Rail Clip and Hardware Shipped Together, Unassembled.  
 8. Customer Is Responsible For Installation To Meet All National And Local Electrical Codes.

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.		D	6688, Various MAX AMP UPDATES	5/31/2024	DSW	TOLERANCES (EXCEPT AS NOTED)	 W132N10611 (Rev 1) Rev 6 Germantown, WI 53022 © 2021 TCI, LLC An Official Motors Group Company KDR MA Frame, Terminal Block Din Rail Mounting
C	5690, KDRMA46L1DR, Correct Max A	8/12/2021	DSW	DECIMAL	.XX ± .25 .XXX ± .10		
C	KDRMA46L1DR At Rev C	8/12/2021	DSW	FRACTIONAL	± 1/16		
B	Reactors At Rev B	8/12/2021	DSW	ANGULAR	± 1°		
B	4815, Add 208/240	7/24/2019	DSW				
A	As Designed	10/20/2017	DSW				
NO	REVISION	DATE	BY				

DRN BY: DSW DATE: 10/20/2017 107239DG  
 SCALE: 1:1 DRAWN BY: [Signature] SHEET 1 OF 1