







480 Rated Voltage, 600 Max Voltage, High Z, Impedance.							
Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH)	Weight (LBS)	Losses (W)	Terminal Hole Size (Inches)
KDRF2HC3	60	77	77	408	37	226	0.313



Customer Is Responsible For Installation to Meet All National And Local Electrical Codes.

Material(s) Shall be RoHS Compliant

TCI, LLC CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL HEREIN DISCLOSED. IT IS SUPPLIED WITHOUT PREJUDICE TO ANY PATENT RIGHTS OF TCI AND MAY NOT BE REPRODUCED OR USED TO MANUFACTURE ANYTHING SHOWN THEREIN WITHOUT WRITTEN PERMISSION FROM TCI.

TOLERANCES (EXCEPT AS NOTED)			
DECIMAL			
D	ECO 4625		.XX ± .25
	Reactor Has Been Redesigned due to noise		.XXX ± .10
FRACTIONAL			
	Was Terminal Block Reactor to Ring lugs.		± 1/16
	Drawing change from KDR-6, to 108003	2/1/19	DSW
NO		REVISION	DATE

**TCI** W132 N10611 Grant Drive  
 Germantown, WI 53022

KDR, 480V, 77A, 60HP, 3 Phase, NEMA 1  
 Input Line Inductor, High Impedance  
 UL Recognized

DRN BY: DSW DATE: 2/1/19 KDRF2HC3DG  
 SCALE: APRVD: SIZE: C SHT 1 OF 1

TCI File drawing number 108003DG