






TCI Part Number	Horsepower (HP)	Amps	---uH +8%/-2%	Weight (LBS)
KTR29A55HGX1	100	56.2	1120	100



Wire Range: 1- 4 AWG. Torque : 35 IN-LBS (3.95 Nm)
 6- 14 AWG. Torque : 30 IN-LBS (3.39 Nm)
 16- 20 AWG. Torque : 25 IN-LBS (2.28 Nm)
 22 AWG. Torque : 20 IN-LBS (2.26 Nm)



Customer Is Responsible For Installation to Meet All National And Local Electrical Codes. Material(s) Shall be RoHS Compliant

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED)		 W132N10611 (Rev 1) 11/16 Germantown, WI 53022 © 2023 TCI, LLC
				DECIMAL		
C	6183, .25-20 to .31-18 Hardware CHG.	2/23/2023	DSW	FRACTIONAL	± 1/32	An <i>Original Motors Company</i> KTR29A55HGX1, Wall Mounted, 480V 56.2A, 3 Phase, 5th Tuning Inductor
B	4875 Updated Bracket	09/12/19	JRN	ANGULAR	± 1°	
A	As Designed	05/23/19	JRN	SCALE:	1/2	DWN BY: JRN DATE: 05/23/19 DES: 108090 SHEET: 1 OF 1
NO	REVISION	DATE	BY			