








"SEE V1K INSTALLATION GUIDE FOR TERMINAL WIRE SIZE AND TORQUE"

SPECIFICATIONS:	
AMP.	305
VOLT	240-600
PHASE	3
HZ	60
WEIGHT, LBS.	80
OPEN VERSION	



REACTOR AND BOARD ASSEMBLY CONNECTIONS



REAR VIEW

TOLERANCE UNLESS OTHERWISE NOTED:
MOUNTING +/- .06
OVERALL +/- .12

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

TCI, LLC CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL HEREIN DISCLOSED. IT IS SUPPLIED WITHOUT PREJUDICE TO ANY PATENT RIGHTS OF TCI AND MAY NOT BE REPRODUCED OR USED TO MANUFACTURE ANYTHING SHOWN THEREIN WITHOUT WRITTEN PERMISSION FROM TCI.

TOLERANCES (EXCEPT AS NOTED)			
DECIMAL			
.XX ± .03			
.XXX ± .01			
FRACTIONAL			
± 1/32			
ANGULAR			
± 1/2°			
3216	ADD SEE GUIDE	11/4/14	DSW
NO	REVISION	DATE	BY

TCI W132 N10611 GRANT DRIVE GERMANTOWN, WI 53022

V1K305A00EX, OUTPUT FILTER
305 AMP, OPEN VERSION
EXTENDED LENGTH APPLICATIONS

DRN. BY RJC DATE 5/20/05 DWG. NO. 102715DG
SCALE NONE SIZE B SHT.1 OF1